



# CONTRACT DOCUMENTS FOR

## **SS-19-03**

## **2019 SEWER POINT REPAIRS**

**Issue Date:** September 9, 2019

**Due Date:** September 24, 2019



EXPIRATION DATE: 6/30/2020

**Public Works Engineering and Community Development Director ..... Jeff Blaine, P.E.**  
**City Engineer ..... Staci Belcastro, P.E.**  
**Project Manager ..... Andrew Monaco**

**For more information on this project,  
contact Andrew Monaco, 541-917-7677.**

CITY OF ALBANY

SS-19-03, 2019 Sewer Point Repairs

TABLE OF CONTENTS

TABLE OF CONTENTS.....1

BIDDER’S SUBMITTAL CHECKLIST.....2

INVITATION TO BID.....3

PROPOSAL.....4

SCHEDULE OF CONTRACT PRICES .....6

BID BOND .....8

EMPLOYEE DRUG TESTING PROGRAM CERTIFICATION .....9

FIRST-TIER SUBCONTRACTOR DISCLOSURE .....10

SAMPLE CONTRACT.....11

PERFORMANCE BOND.....13

PAYMENT BOND .....15

SPECIAL PROVISIONS.....17

    SECTION I: GENERAL REQUIREMENTS AND TECHNICAL SPECIFICATIONS .....17

    SECTION II: STATE AND FEDERAL CONTRACTING LAW .....23

    SECTION III: TECHNICAL SPECIFICATIONS – BID ITEMS .....27

LIST OF APPENDICES .....32

CONSTRUCTION DRAWINGS (sized 11” x 17” - *included as separate file*)

## BIDDER'S SUBMITTAL CHECKLIST

Bids must be submitted by the time designated and the address listed in the advertisement for the Invitation to Bid at the City Hall Parks and Recreation Department/Information counter and marked received by City staff indicating the time and date as shown on the City Bid Clock in the Parks Department. Any bid submitted after the designated closing time or to any other location will be determined nonresponsive and will not be opened. It is the responsibility of the Bidder to deliver the bid by the indicated deadline to the designated location.

If the Bidder submits a proposal via a delivery service (FedEx, UPS, USPS, etc.), the required sealed envelope must be enclosed in the delivery service packaging and the Project Title of the bid should be written on the outside delivery service packaging. The City is not responsible for late or mishandled delivery, regardless of the method of delivery.

Bids should be delivered to and stamped received by the Parks & Recreation Department Counter staff at City Hall to be considered Responsive. Bidder is solely responsible for the bid to be delivered to the correct location by the correct time.

If contractor obtains these documents by means of a website or copied from a Plan Center, it is the responsibility of the contractor to check for any addendums to this contract prior to bid opening. **To be notified of addendums, contractor may call 541-917-7676 and request to be added to the plan holders list.**

Failure to include any signed Addendums could result in the disqualification of your bid.

All bids must be submitted on City-provided forms that do not contain unauthorized alterations.

All bids shall include the following submittals or may be considered non-responsive:

- Signed Proposal (*two pages*) - *with all applicable blanks completed*
- Completed Schedule of Contract Prices - *signed by an authorized representative of the company who can "execute bids"*
- Bid Bond – *using City-provided Bid Bond form with no alterations*
- Employee Drug Testing Certification form
- Signed Addenda (*if Addenda have been issued*)
- Completed Statement of Experience Requirement for Cured-In-Place Pipe Spot Repairs (Appendix C)

**Submitted within two hours after bid closing time (required under ORS 279C.370):**

- First-Tier Subcontractor Disclosure form – signed and if “none” indicate as such

***Other than what is listed above, it is not necessary to submit any additional pages with the bid.***



NOTICE TO CONTRACTORS  
CITY OF ALBANY  
**INVITATION TO BID**

Category of Bid: Construction  
Engineer's Estimate: \$250,000  
Bids due at 2:00 p.m., September 24, 2019

The City of Albany hereby extends an invitation to submit bids for:

**SS-19-03, 2019 Sewer Point Repairs:** This project includes repairing damaged pipe sections on 13 sewer segments using open trench and cured-in-place pipe technologies; replacement of private sewer services; and related appurtenances. Preconstruction videos of the segments to be rehabilitated with cured-in-place pipe can be viewed on the City of Albany's website.

Bids submitted shall be filed in sealed envelopes and received at the City of Albany Parks & Recreation counter, not later than 2:00 p.m., September 24, 2019, addressed to the attention of Diane Murzynski, purchasing coordinator, at Albany City Hall, Finance Department, 333 Broadalbin Street SW, Albany, OR 97321. The outside of the envelopes shall plainly identify: (1) the project name, (2) the bid opening time and date, (3) the bidder's name, and (4) the contractor's license number (per ORS 701). Immediately following the filing deadline, the bids shall be opened and publicly read in the Calapooia Room of City Hall. Bid totals will be posted on the City's website at <http://www.cityofalbany.net/departments/finance/city-purchasing/bids-rfps-rfqs>.

Contract bid documents may be examined at the office of the Public Works director, City Hall, 333 Broadalbin Street SW, Albany, Oregon, 541-917-7676; downloaded from the City of Albany website at <http://www.cityofalbany.net/departments/finance/city-purchasing/bids-rfps-rfqs>; or a printed set may be purchased for \$35. It is imperative those who download the contract bid documents check the website regularly for addenda, clarifications, and other pertinent notifications. All who are known by the City of Albany to have received a complete set of the contract bid documents will receive notification when additional items are posted. Please call 541-917-7676 to be added to the Plan Holder's list.

Each bidder must have access to a current set of City of Albany *Standard Construction Specifications*, which can be found on the City's website at <http://www.cityofalbany.net/departments/public-works/engineering/standard-construction-specifications> or a printed set may be purchased for \$100. All public improvements are required to conform to these specifications and bid prices shall reflect these specifications. For project information, call Andrew Monaco at 541-917-7677.

All City contracts contain a statement declaring that the bidder agrees to comply with the provisions of ORS 279C.800 through 279C.870 regarding payment of prevailing wages. The City's contract contains a clause which incorporates by reference all of the provisions of ORS Chapter 279C which are applicable to public contracts. Bidders are expected to be familiar with these provisions including, but not limited to, recent changes to ORS Chapter 279C.

**No bid shall be received or considered unless the bidder is licensed by the Construction Contractors Board for construction projects or licensed with the State Landscape Contractors Board for landscaping projects.**

A 10% bid bond, certified check, or cashier's check shall accompany each bid on all projects and shall be forfeited if the bidder fails to enter into a Contract with the City of Albany within ten (10) days after the date of the Notice of Award.

DATED this 9th day of September 2019.

Diane M. Murzynski, CPPO, CPPB  
Purchasing Coordinator

PUBLISH: Daily Journal of Commerce on Monday, September 9, 2019  
Albany Democrat-Herald on Monday, September 9, 2019

## PROPOSAL

To the Honorable Mayor and City Council  
Albany, Oregon 97321

### BIDDER'S DECLARATION AND UNDERSTANDING

The undersigned Bidder declares that the Contract Documents for the construction of the proposed improvement have been carefully examined; the site has been personally inspected; the Bidder is satisfied as to the quantities of materials, items of equipment, and conditions or work involved, including the fact that the description of the quantities of work and materials as included herein is brief and is intended only to indicate the general nature of such items and to identify the said quantities with the detailed requirements of the Contract Documents; and the Bidder's proposal is made according to the provisions and under the terms of the Contract Documents, which documents are hereby made a part of this proposal.

The Bidder further declares that the only persons or parties interested in this proposal are those named herein; that this proposal is in all respects fair and without fraud; it is made without collusion with any official of the City of Albany, and the proposal is made without any connection or collusion with any person making another proposal on this Contract.

The Bidder further declares by the signing of this proposal that all the provisions required by ORS 279C.800 through 279C.870 relating to the payment of prevailing wage rates for work performed under the Contract with the City of Albany shall be complied with.

The Bidder further agrees that its own judgment has been exercised regarding the interpretation of subsurface information and all data which it believes pertinent from the Engineer, Owner, and other sources in arriving at these conclusions have been utilized.

### CONTRACT EXECUTION, BONDS, AND INSURANCE

The Bidder agrees that if this proposal is accepted:

- A Contract with the City of Albany, Oregon, will be executed, within ten (10) days after the date of the Notice of Award, in the form of Contract annexed hereto, and will at that time, deliver to the City of Albany the 100% Performance Bond and 100% Payment Bond, and will, to the extent of this proposal, furnish all machinery, tools, apparatus and other means of construction and do the work and furnish all the materials necessary to complete all work as specified or shown in the Contract Documents.
- A Request for Taxpayer Identification Number and Certification (W-9) will be completed as a condition of the City's obligation to make payment. In the event the Bidder shall fail to complete and return the W-9 to the City, payment to Bidder may be delayed, or the City may, in its discretion, terminate the Contract.
- ACH Direct Payment Authorization. The City prefers to pay Contractor invoices via electronic funds transfers through the Automated Clearing House (ACH) network. To initiate this more timely, efficient, and secure payment method, Contractors must complete the City's ACH Vendor Direct Payment Authorization Form. These forms are available on the City website at [https://www.cityofalbany.net/images/stories/finance/eft\\_form.pdf](https://www.cityofalbany.net/images/stories/finance/eft_form.pdf). Information provided on the form is exempt from public records disclosure under ORS 192.501(27).
- Certificates of Insurance. The Bidder agrees to furnish the Owner, before commencing the work under this Contract, the certificates of insurance as specified in the *Standard Construction Specifications*.

### START OF CONSTRUCTION AND CONTRACT COMPLETION DATE

If awarded this contract, the Bidder agrees to begin work within 10 calendar days after the date of the Notice to Proceed for the Contract and to complete the construction, in all respects, as set forth in the Special Provisions of these Contract Documents.

### LIQUIDATED DAMAGES

In the event the Bidder is awarded the Contract and shall fail to complete the work within the time stated above or extended time agreed upon, as more particularly set forth in the Contract Documents, liquidated damages shall be paid to the City of Albany, Oregon, as provided under General Requirements, Subsection 108.06.00 of the City of Albany *Standard Construction Specifications*.

**BID BOND**

Accompanying this proposal is a certified check, cashier's check or Bidder's bond in the sum of (10% of Bid Total) \_\_\_\_\_ Dollars (\$ \_\_\_\_\_), according to the General Requirements of the Contract Documents which is to be forfeited as liquidated damages, if, in the event that this proposal is accepted, and the Bidder shall fail to execute the Contract and furnish satisfactory Performance and Payment Bond under the conditions and within the time specified in the Contract Documents; otherwise said check or bond is to be returned to the Bidder.

**SURETY**

If the Bidder is awarded a construction Contract on this proposal, the Surety who provides the Performance Bond will be \_\_\_\_\_ whose address is (street and city) \_\_\_\_\_ and Payment Bond will be \_\_\_\_\_ whose address is (street and city) \_\_\_\_\_.

**LUMP SUM OR UNIT PRICE WORK**

The Bidder further proposes to accept as full payment for the work proposed herein the amounts computed under the provisions of the Contract Documents and based on the following lump sum or unit price amounts, it being expressly understood that the unit prices are independent of the exact quantities involved. The Bidder agrees that the lump sum prices and the unit prices represent a true measure of the labor and materials required to perform the work, including all allowances for overhead and profit for each type and unit of work called for in these Contract Documents.

**BIDDER**

The name of the Bidder submitting this proposal is \_\_\_\_\_ doing business at (street and city) \_\_\_\_\_, which is the address to which all communications concerned with this proposal and with the Contract shall be sent.

In accordance with ORS 279A.120, Bidder hereby declares that it (circle correct designation) is / is not a resident Bidder. The names of the principal officers of the corporation submitting this proposal, or of the partnership, or of all persons interested in this proposal as principals are as follows:

\_\_\_\_\_  
*If Sole Proprietor or Partnership:* IN WITNESS hereto the undersigned has set his/her hand this \_\_\_\_\_ day of \_\_\_\_\_ 2019.

\_\_\_\_\_  
Signature of Bidder Title

*If Corporation:* IN WITNESS WHEREOF the undersigned corporation has duly authorized the execution of this agreement on behalf of the corporation by the officer named below this \_\_\_\_\_ day of \_\_\_\_\_ 2019.

\_\_\_\_\_  
*name of corporation*  
By: \_\_\_\_\_  
Name: \_\_\_\_\_  
*(please print name)*  
Title: \_\_\_\_\_

**SCHEDULE OF CONTRACT PRICES**

| <b>ITEM NO.</b> | <b>BID ITEMS</b>                        | <b>APPROX. QUANTITY</b> | <b>UNIT OF MEASURE</b> | <b>UNIT PRICE DOLLARS/CTS</b> | <b>TOTAL AMT. DOLLARS/CTS</b> |
|-----------------|---|-------------------------|------------------------|-------------------------------|-------------------------------|
| 1               | Mobilization                            | 1                       | Lump Sum               |                               |                               |
| 2               | Temporary Traffic Control               | 1                       | Lump Sum               |                               |                               |
| 3               | Erosion Prevention and Sediment Control | 1                       | Lump Sum               |                               |                               |
| 4               | Segment 5558 Point Repair               | 1                       | Each                   |                               |                               |
| 5               | Segment 5573 Point Repair               | 1                       | Each                   |                               |                               |
| 6               | Segment 5575 Point Repair               | 1                       | Each                   |                               |                               |
| 7               | Segment 5587 Point Repair               | 1                       | Each                   |                               |                               |
| 8               | Segment 5658 Point Repair               | 1                       | Each                   |                               |                               |
| 9               | Segment 5726 Point Repair               | 1                       | Each                   |                               |                               |
| 10              | Segment 5728 Point Repair               | 1                       | Each                   |                               |                               |
| 11              | Segment 5942 Point Repair               | 1                       | Each                   |                               |                               |
| 12              | Segment 6289 Point Repair               | 1                       | Each                   |                               |                               |
| 13              | Segment 6386 Point Repair               | 1                       | Each                   |                               |                               |
| 14              | Segment 6391 Point Repair               | 1                       | Each                   |                               |                               |
| 15              | Segment 6829 Point Repair               | 1                       | Each                   |                               |                               |
| 16              | Segment 7344 Point Repairs              | 1                       | Each                   |                               |                               |
| 17              | 4-Inch Asphalt Trench Patch             | 45                      | Square Yard            |                               |                               |

| ITEM NO.                      | BID ITEMS            | APPROX. QUANTITY | UNIT OF MEASURE | UNIT PRICE DOLLARS/CTS | TOTAL AMT. DOLLARS/CTS |
|-------------------------------|----------------------|------------------|-----------------|------------------------|------------------------|
| 18                            | Sewer Bypass Pumping | 1                | Lump Sum        |                        |                        |
| <b>SUM OF EXTENDED TOTALS</b> |                      |                  |                 |                        |                        |

**NOTE: Subject to change if addition or extensions are in error.**

|                                      |                                       |                       |
|--------------------------------------|---------------------------------------|-----------------------|
| Bidder's Signature                   | Company Name <i>(please print)</i>    | Date                  |
| Bidder's Name <i>(please print)</i>  | Mailing Address <i>(please print)</i> | CCB License Number    |
| Bidder's Title <i>(please print)</i> | City, State Zip                       | Federal Tax ID Number |
| Telephone No.: _____                 | Fax No.: _____                        | Email: _____          |



**BID BOND**

BOND NO. \_\_\_\_\_

AMOUNT OF BID: \$ \_\_\_\_\_

KNOW ALL MEN BY THESE PRESENTS, that \_\_\_\_\_ hereinafter called the PRINCIPAL, and \_\_\_\_\_ a corporation duly organized under the laws of the State of \_\_\_\_\_ having its principal place of business at \_\_\_\_\_, in the State of \_\_\_\_\_, and authorized to do business in the State of Oregon, as SURETY, are held firmly bound unto the City of Albany, Oregon, hereinafter called the OBLIGEE, in the sum of \_\_\_\_\_ DOLLARS (\$ \_\_\_\_\_), for the payment of which we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS BOND IS SUCH THAT:

WHEREAS, the PRINCIPAL is herewith submitting his/her/its Bid Proposal for **SS-19-03, 2019 SEWER POINT REPAIRS**, said Bid Proposal, by reference thereto, being hereby made a part hereof.

NOW, THEREFORE, if the Bid Proposal submitted by the PRINCIPAL is accepted, and the Contract awarded to the PRINCIPAL, and if the PRINCIPAL shall execute the proposed Contract and shall furnish such Performance Bond and Payment Bond as required by the Contract Documents within the time fixed by the documents, then this obligation shall be void; if the PRINCIPAL shall fail to execute the proposed Contract and furnish the bond, the SURETY hereby agrees to pay to the OBLIGEE the said sum as liquidated damages, within ten (10) days of such failure.

Signed and sealed this \_\_\_\_\_ day of \_\_\_\_\_ 2019.

\_\_\_\_\_  
PRINCIPAL

\_\_\_\_\_  
SURETY

By: \_\_\_\_\_

By: \_\_\_\_\_

Attorney in Fact

**EMPLOYEE DRUG TESTING PROGRAM CERTIFICATION**

**ORS 279C.505 (2)** requires that bidders shall demonstrate and disclose to the City of Albany that he/she has an employee drug testing program in place before a public contract can be awarded.

Therefore, by signing this Certification, the Bidder does hereby certify and confirm that, as the proposed general contractor for City of Albany Project **SS-19-03, 2019 Sewer Point Repairs** that he/she has an employee drug testing program in place that is consistent with, and satisfies the intent of, the above-referenced legislation.

**CONTRACTOR:** \_\_\_\_\_

BY: \_\_\_\_\_

TITLE: \_\_\_\_\_

DATE: \_\_\_\_\_

**FIRST-TIER SUBCONTRACTOR DISCLOSURE**

**PROJECT NAME:** 2019 Sewer Point Repairs

**BID NUMBER:** SS-19-03

**BID CLOSING DATE:** September 24, 2019

**TIME:** 2:00 p.m.

This form must be submitted at the location specified in the Invitation to Bid on the advertised bid closing date and within two working hours after the advertised bid closing time.

List below the name of each subcontractor that will be furnishing labor or will be furnishing labor and materials and that is required to be disclosed, the category of work that the subcontractor will be performing and the dollar value of the subcontract.

Enter “**NONE**” if there are no subcontractors that need to be disclosed.  
 (*Attach additional sheets if needed.*)

---

Failure to submit this signed form by the disclosure deadline will result in a non-responsive bid.  
 A non-responsive bid will not be considered for award.

| Subcontractor's Name | Category of Work | Dollar Value |
|----------------------|------------------|--------------|
| 1.                   |                  | \$           |
| 2.                   |                  | \$           |
| 3.                   |                  | \$           |
| 4.                   |                  | \$           |
| 5.                   |                  | \$           |
| 6.                   |                  | \$           |
| 7.                   |                  | \$           |
| 8.                   |                  | \$           |
| 9.                   |                  | \$           |

Form submitted by (bidder name): \_\_\_\_\_ Phone No.: \_\_\_\_\_  
*(Signature)*

Contact Name: \_\_\_\_\_ Company: \_\_\_\_\_

**ORS 279C.370 First-tier subcontractor disclosure.** (1)(a) Within two working hours after the date and time of the deadline when bids are due to a contracting agency for a public improvement contract, a bidder shall submit to the contracting agency a disclosure of the first-tier subcontractors that:

- (A) Will be furnishing labor or will be furnishing labor and materials in connection with the public improvement contract; and
- (B) Will have a contract value that is equal to or greater than five percent of the total project bid or \$15,000, whichever is greater, or \$350,000 regardless of the percentage of the total project bid.

(b) For each contract to which this subsection applies, the contracting agency shall designate a deadline for submission of bids that has a date on a Tuesday, Wednesday or Thursday and a time between 2 p.m. and 5 p.m., except that this paragraph does not apply to public contracts for maintenance or construction of highways, bridges or other transportation facilities.

(c) This subsection applies only to public improvement contracts with a value, estimated by the contracting agency, of more than \$100,000.

(d) This subsection does not apply to public improvement contracts that have been exempted from competitive bidding requirements under ORS 279C.335 (2).

(2) The disclosure of first-tier subcontractors under subsection (1) of this section must include the name of each subcontractor, the category of work that each subcontractor will perform and the dollar value of each subcontract. The information shall be disclosed in substantially the following [above] form:

(3) A contracting agency shall accept the subcontractor disclosure. The contracting agency shall consider the bid of any contractor that does not submit a subcontractor disclosure to the contracting agency to be a nonresponsive bid and may not award the contract to the contractor. A contracting agency is not required to determine the accuracy or the completeness of the subcontractor disclosure.

(4) After the bids are opened, the subcontractor disclosures must be made available for public inspection.

(5) A contractor may substitute a first-tier subcontractor under the provisions of ORS 279C.585.

(6) A subcontractor may file a complaint under ORS 279C.590 based on the disclosure requirements of subsection (1) of this section.

*State of Oregon WH-179 (08-10-10)*

## SAMPLE CONTRACT

THIS CONTRACT is made between the CITY OF ALBANY, a municipal corporation, hereinafter called "City" and \_\_\_\_\_, hereinafter called "Contractor."

### WITNESSETH:

The Contractor, in consideration of the sums to be paid and other covenants herein contained, agrees to perform and complete the work herein described and to furnish all necessary machinery, tools, apparatus, equipment, supplies, materials, and labor and perform all work in accordance with the applicable *Standard Construction Specifications*, the Special Specifications (aka Specifications, Special Provisions) found herewith, and in accordance with such alterations or modifications of the same as may be made by the City, and according to such directions as may from time to time be made or given by the Engineer under the authority and within the meaning and purpose of this Contract. This agreement shall be binding upon the heirs, executors, administrators, successors, and assigns of the Contractor.

The applicable Drawings, the applicable *Standard Construction Specifications*, all sections of Special Provisions, and the Schedule of Contract Prices bound herewith are hereby specifically referred to and by reference made a part hereof and shall by such reference have the same force and effect as though all of the same were fully inserted herein.

The Contractor shall faithfully complete and perform all of the obligations of this Contract, and in particular, shall promptly, as due, make payment of all just debts and obligations incurred in the performance of said Contract and shall not permit any lien or claim to be filed or prosecuted against the City.

The Contractor shall furnish to the City a 100% Performance Bond and a 100% Payment Bond. In addition to the required Payment Bond and Performance Bond, unless exempt under ORS 279C.836 (7), (8), or (9), the contractor is required to file a \$30,000 Public Works Bond with the Construction Contractor's Board to be used exclusively for unpaid wages determined to be due by BOLI. The general contractor is required to verify that subcontractors have filed a public works bond before permitting a subcontractor to start work on a project unless exempt under ORS 279C.836 (7), (8) or (9).

The Contractor, its subcontractors, if any, and all employers working under this Contract are subject employers under the Oregon Workers' Compensation Law and shall comply with ORS 656.017, which requires them to provide workers' compensation coverage for all their subject workers.

The Contractor agrees to protect, indemnify, and hold harmless the City against any and all loss, claims, or suits (including costs and attorney's fees) for or on account of injury to or death of persons, damage to, or destruction of property belonging to either the City or others occurring by reason of the act or neglect of the Contractor, Contractor's employees, or agents (including subcontractors) in connection with the performance of this Contract.

It is expressly understood that this Contract shall be governed by the laws of the State of Oregon. The statutes of the State of Oregon for public works contracts, specifically but not exclusively ORS Chapter 279 A-C as amended or superseded, including the latest additions and revisions, are incorporated by reference as part of the contract documents, and the party contracting with the City of Albany hereby covenants and agrees to comply with all of the obligations and conditions applicable to public contracts pursuant to ORS 279 A-C, et seq, as though each obligation or condition were set forth fully herein. In addition, if the contract identified above calls for a public improvement as that term is defined by ORS 279A.010, the party contracting with the City of Albany further agrees to comply with all obligations and conditions applicable to public contracts for public improvements pursuant to ORS 279C, et seq, as though each obligation or condition were set forth fully herein. The Contractor and its subcontractors, if any, also agrees to maintain compliance with the Oregon Identity Theft Protection Act (OITPA) ORS Sections 646A.600 through 646A.628.

The Contractor further declares by the signing of this Contract that all the provisions required by ORS 279C.800 through 279C.870 relating to the payment of prevailing wage rates for work performed under the Contract with the City of Albany shall be complied with, and that daily/weekly/holiday/weekend overtime will be paid, unless the amount of the contract is \$50,000 or less, in which case the prevailing wage rate requirement shall not apply. If Contractor fails, neglects, or refuses to make prompt payment for labor or services, the City can pay and withhold these amounts from payments due the contractor. (ORS 279C.515) Contractor shall indemnify the City from claims of damages resulting from actual or alleged violations of these obligations.

In consideration of the faithful performance of all of the obligations herein set out, and in consideration of the faithful performance of this Contract, the City agrees to pay to the Contractor the amount earned, as determined from the actual quantities of work performed and prices and other basis of payment specified, taking into consideration any amounts that may be deductible, under the terms of the Contract.

The Contractor agrees to complete the work within the time specified herein and to accept as full payment hereunder the amounts computed as determined by the Contract Documents and based on the said proposal.

Said improvements shall be completed by the date specified in said Contract Documents and if not so completed, unless said time for completion is extended, as provided in the Contract Documents, or if extended, if the same is not completed within the time extended, the City will be caused to incur liquidated damages as specified in the Contract Documents. Liquidated damages shall be retained out of any monies due or to become due under this agreement.

Payments shall be made as provided in the Contract Documents. Notwithstanding anything in this agreement to the contrary, the City's obligation to pay money beyond the current fiscal year shall be subject to and dependent upon appropriations being made from time to time by the City Council for such purpose; provided, however, that the City Manager or other officer charged with the responsibility for preparing the City's annual budget shall include in the budget for each fiscal year the amount of the city financial obligation payable in such year and the City Manager or such other officer shall use his/her best efforts to obtain the annual appropriations required to authorize said payments.

The Parties acknowledge that the parties and their counsel have reviewed this Agreement and that the normal rule of construction to the effect that any ambiguities are to be resolved against the drafting Party shall not be employed in the interpretation of this Agreement or any exhibits or amendments hereto.

Should suit or action be undertaken to enforce any of the terms of this agreement or to seek damages for its breach, the prevailing party shall be entitled to an award of its reasonable attorney fees, costs, and expenses, including expert witness fees, incurred therein, and such costs and fees as may be required on appeal, including those incurred on appeal. Jurisdiction for litigation shall be vested exclusively in the courts of Oregon, Oregon law shall apply, and venue shall lie in the Circuit Courts in and for Linn County, Oregon.

The date this Agreement is signed by the last party to sign it (as indicated by the date associated with that party's signature) will be deemed the date of this Agreement. If a party signs but fails to date a signature the date that the other party receives the signing party's signature will be deemed to be the date that the signing party signed this Agreement and the other party may inscribe that date as the date associated with the signing party's signature.

IN WITNESS WHEREOF, the undersigned duly authorized officials have caused this contract to be executed on behalf of their respective parties.

**CONTRACTOR:**

DATE: \_\_\_\_\_

By: \_\_\_\_\_

Title: \_\_\_\_\_

By: \_\_\_\_\_

Title: \_\_\_\_\_

*(Note: Signatures of two officers are required for a corporation.)*

**CITY OF ALBANY, OREGON:**

DATE: \_\_\_\_\_

By: \_\_\_\_\_

Jeff Blaine, P.E., Public Works Engineering & Community Development Director

Construction Contractor's Board License Number

Tax Identification No.: \_\_\_\_\_

Telephone Number: \_\_\_\_\_ (\_\_\_\_) \_\_\_\_\_

## PERFORMANCE BOND

BOND NUMBER: \_\_\_\_\_

TOTAL BID AMOUNT: \$ \_\_\_\_\_

KNOW ALL MEN BY THESE PRESENTS that we, \_\_\_\_\_, as CONTRACTOR (Principal), and \_\_\_\_\_, a corporation, duly authorized to do a general surety business in the State of Oregon as SURETY, are jointly and severally held and bound unto the City of Albany, Oregon, (Obligee) in the sum of (100% of Contract) \_\_\_\_\_ Dollars (\$ \_\_\_\_\_) for the payment of which we jointly and severally bind ourselves, our heirs, executors, administrators, and assigns or successors and assigns firmly by these presents.

THE CONDITION OF THIS BOND IS SUCH that, whereas the principal has made and entered into a certain contract, a copy of which is attached hereto, with the City of Albany, Oregon, which contract, together with the applicable plans, Standard Specifications, Special Provisions, and schedule of contract prices, is by this reference made a part, whereby the principal agrees to perform in accordance with the certain terms, conditions, requirements, plans, and specifications which are set out in the contract and all authorized modifications of the contract which increase the amount of the work and the amount of the contract. Notice to the surety of any of the immediately foregoing are waived.

NOW, THEREFORE, if CONTRACTOR shall faithfully and truly observe and comply with the terms, conditions, and provisions of the Contract, in all respects upon the terms set forth therein, and within the time prescribed therein and shall indemnify and save harmless the City of Albany, Oregon, its officers, employees, and agents against losses and expenses and any damages of every kind and description that shall be suffered or claimed to be suffered in connection with or arising out of the performance of the said Contract and shall honor all claims for defective work within the warranty period(s) established by the *Standard Construction Specifications* and Special Provisions, after the acceptance of said Contract, then this obligation is to be void, otherwise to remain in full force and effect for the duration of the warranty period(s). The establishment and warranty periods for plantings shall be two years as outlined in Section 107.15.02 of the *Standard Construction Specifications*. The warranty for all other work shall be for a one-year period as outlined in Section 107.15.00.

PROVIDED, HOWEVER, that this bond is subject to the following further conditions:

a) Losses and expenses include but are not limited to attorney's fees to defend all claims, proceedings, lawsuits, and judgments arising out of or resulting from the fault of the principal, the principal's agents, representatives, or subcontractors, in the performance of or failure to perform this contract. However, principal shall not be required to indemnify any indemnitee to the extent the damage, loss, or expense is caused by the indemnitee's negligence and shall in all respects perform said contract according to law.

b) All material suppliers and all persons who shall supply such laborers, mechanics, or subcontractors with material, supplies, or provisions for carrying on such work, shall have a direct right of action against CONTRACTOR and SURETY on this bond, second only the right of the City of Albany, Oregon, under this bond, which right of action shall be asserted in proceedings instituted in the name of the City of Albany, Oregon, to the use and benefit of the person, firm, or corporation instituting such action and all other persons, firms, or corporations having claims hereunder, shall have the right to be made a party to such proceeding and to have such claim adjudicated in such action and judgment rendered thereon.

c) In no event shall SURETY be liable for a greater sum than the penalty of this Bond, or subject to any suit, action, or proceeding thereon that is instituted past the expiration of the warranty period(s) after the complete performance and acceptance of said Contract and final settlement thereof.

d) The said SURETY, for the value received, hereby stipulates and agrees that no change, extension of time, alteration, or addition to the terms of the Contract or to the work to be performed thereunder or the Specifications accompanying the same shall in any way affect its obligations of this bond; and it does hereby waive notice of any such

change, extension of time, alteration, or addition to the terms of the Contract, or to the work, or to the Contract Documents.

IN WITNESS THEREOF, the parties hereto have caused this bond to be executed this \_\_\_\_\_ day of \_\_\_\_\_ 2019.

\_\_\_\_\_  
Principal

By: \_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Print or type*

\_\_\_\_\_  
Street/City Address

\_\_\_\_\_  
Surety

By: \_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Print or type*

\_\_\_\_\_  
Street/City Address

\_\_\_\_\_  
Telephone Number

Surety Witness:

By: \_\_\_\_\_

\_\_\_\_\_  
Street/City Address

**PAYMENT BOND**

BOND NUMBER: \_\_\_\_\_

TOTAL BID AMOUNT: \$ \_\_\_\_\_

KNOW ALL MEN BY THESE PRESENTS that we, \_\_\_\_\_, as CONTRACTOR (Principal), and \_\_\_\_\_, a corporation, duly authorized to do a general surety business in the State of Oregon as SURETY, are jointly and severally held and bound unto the City of Albany, Oregon, (Obligee) in the sum of (100% of Contract) \_\_\_\_\_ Dollars (\$ \_\_\_\_\_) for the payment of which we jointly and severally bind ourselves, our heirs, executors, administrators, and assigns or successors and assigns firmly by these presents.

THE CONDITION OF THIS BOND IS SUCH that, whereas the principal has made and entered into a certain contract, a copy of which is attached hereto, with the City of Albany, Oregon, which contract, together with the applicable plans, Standard Specifications, Special Provisions, and schedule of contract prices, is by this reference made a part, whereby the principal agrees to perform in accordance with the certain terms, conditions, requirements, plans, and specifications which are set out in the contract and all authorized modifications of the contract which increase the amount of the work and the amount of the contract. Notice to the surety of any of the immediately foregoing are waived.

NOW, THEREFORE, if CONTRACTOR shall make payment promptly, as due to all subcontractors and to all persons supplying to the Contractor or its subcontractors, equipment, supplies, labor, or materials for the prosecution of the work, or any part thereof, provided for in said contract; and shall in performing the contract pay and cause to be paid not less than the State of Oregon Bureau of Labor and Industries (BOLI) prevailing wage rates in effect as of the date of the bid advertisement by City of Albany, Oregon, unless the amount of the contract is \$50,000 or less, in which case the prevailing wage rate requirement shall not apply; and pay per hour, day, and week for and to each and every worker who may be employed in and about the performance of the contract; and pay all contributions or amounts due to the State Accident Insurance Fund and the State Unemployment Trust Fund from such Contractor or subcontractors; and pay all sums of money withheld from the Contractor's employees and payable to the State Department of Revenue; and shall pay all other just debts, dues, and demands incurred in the performance of the said contract; and shall pay the City of Albany, Oregon such damages as may accrue to the City of Albany, Oregon, under the contract, then this obligation is to be void, otherwise to remain in full force and effect, provided that surety will remain liable to satisfy the claim of any worker affected by the failure of the principal or any subcontractor under the contract to pay the minimum rate of wage in accordance with the contract in the amount of minimum wages and an additional amount equal thereto as liquidated damages.

a) All material suppliers and all persons who shall supply such laborers, mechanics, or subcontractors with material, supplies, or provisions for carrying on such work, shall have a direct right of action against CONTRACTOR and SURETY on this bond, second only the right of the City of Albany, Oregon, under this bond, which right of action shall be asserted in proceedings instituted in the name of the City of Albany, Oregon, to the use and benefit of the person, firm, or corporation instituting such action and all other persons, firms, or corporations having claims hereunder, shall have the right to be made a party to such proceeding and to have such claim adjudicated in such action and judgment rendered thereon.

b) The said SURETY, for the value received, hereby stipulates and agrees that no change, extension of time, alteration, or addition to the terms of the Contract or to the work to be performed thereunder or the Specifications accompanying the same shall in any way affect its obligations of this bond; and it does hereby waive notice of any such change, extension of time, alteration, or addition to the terms of the Contract, or to the work, or to the Contract Documents.



IN WITNESS THEREOF, the parties hereto have caused this bond to be executed this \_\_\_\_\_ day of \_\_\_\_\_ 2019.

\_\_\_\_\_  
Principal

By: \_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Print or type*

\_\_\_\_\_  
Street/City Address

\_\_\_\_\_  
Surety

By: \_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Print or type*

\_\_\_\_\_  
Street/City Address

\_\_\_\_\_  
Telephone Number

Surety Witness:

By: \_\_\_\_\_

\_\_\_\_\_  
Street/City Address

## SPECIAL PROVISIONS

### SECTION I: GENERAL REQUIREMENTS AND TECHNICAL SPECIFICATIONS

#### I-1. DESCRIPTION OF WORK

This project includes repairing damaged pipe sections on 13 sewer segments using open trench and cured-in-place pipe technologies, replacement of private sewer services, and related appurtenances. Preconstruction videos of the segments to be rehabilitated with cured-in-place pipe can be viewed on the City of Albany's website.

Construction shall be in conformance with the current edition of the City of Albany *Standard Construction Specifications*, the Construction Drawings, and these Special Provisions.

#### I-2. SITE CONDITIONS

Contractors are expected to closely inspect the preconstruction videos, various sites and warrants, and as a result of examination and site visits, the work can be performed in a good workmanlike manner to the satisfaction of the City. Failure to become acquainted with the physical conditions of the project will not relieve the Contractor from the responsibility of properly estimating the difficulty or cost of successfully performing the work.

Preconstruction videos of the pipe segments can be viewed on the City of Albany's webpage under SS-19-03, 2019 Sewer Point Repairs documents on the Bids, RFP's, RFQs webpage <https://www.cityofalbany.net/departments/finance/purchasing/bids-rfps-rfqs>. The City makes no warranty regarding the suitability of cured-in-place technology for this project, the Contractor is fully responsible to determine whether conditions are suitable for cured-in-place pipe and to select the people, methods, and equipment required to successfully perform the work.

#### I-3. STANDARD CONSTRUCTION SPECIFICATIONS

Each bidder must have access to a current set of City of Albany *Standard Construction Specifications*, which can be found on the City of Albany's website at <http://www.cityofalbany.net/departments/public-works/engineering/standard-construction-specifications> or a printed set may be purchased for \$100. All public improvements are required to conform to these specifications and bid prices shall reflect these specifications.

#### I-4. AWARD OF CONTRACT

The Contract, if awarded, will be awarded to the lowest responsive, responsible bidder based upon the lowest total bid amount, as determined by the City of Albany, and on the City's sole and absolute judgment to best serve its interest.

The City reserves the right to postpone the acceptance of the proposal and the award of the contract to a responsible bidder for a period not to exceed 60 calendar days, or to reject any and all proposals received and further advertise the project for bids. The City may reject any bids not in compliance with all prescribed public contracting procedures and requirements, including the requirement to demonstrate the bidder's responsibility under ORS 279C.375(3)(b), and may reject for good cause any or all bids upon a finding of the City that it is in the public interest to do so.

List of Subcontractors. Contractor is required to submit a list of subcontractors in accordance with ORS 279C.370. The City will submit a copy of this disclosure of first-tier subcontractors to the Bureau of Labor and Industries (BOLI) along with the completed BOLI form WH-81.

Failure to submit the list of subcontractors form by the disclosure deadline will result in a non-responsive bid. A non-responsive bid will not be considered for award. If no subcontractors need to be disclosed; this form must still be submitted indicating such.

**I-5. Electronic Signature.** Any signature (including any electronic symbol or process attached to, or associated with, a contract or other record and adopted by a person with the intent to sign, authenticate, or accept such contract or record) hereto or to any other certificate, agreement, or document related to this transaction, and any contract formation or record-keeping through electronic means shall have the same legal validity and enforceability as a

manually executed signature or use of a paper-based recordkeeping system to the fullest extent permitted by applicable law.

#### **I-6. CONTRACT COMPLETION TIME AND LIQUIDATED DAMAGES**

At the Contractor's option, the City will issue the Notice to Proceed any time after both parties have executed the contract. The Contractor shall be required to give the City seven days advance notice of intent to begin construction. Once the Notice to Proceed is issued, the Contractor shall have the number of working days, measured from the day work starts on each segment in which to complete the work as listed below:

Segment 5573 shall have 10 working days measured from the day work starts on the segment in which to complete the work.

Segment 5587 shall have 6 working days measured from the day work starts on the segment in which to complete the work.

Segment 5658 shall have 6 working days measured from the day work starts on the segment in which to complete the work.

Segment 7344 shall have 7 working days measured from the day work starts on the segment in which to complete the work.

All other segments shall have 5 working days measured from the day work starts on the segment in which to complete the work.

Regardless of the actual construction start date, all work specified in the contract documents shall be completed, in every respect, by June 30, 2020, the ultimate completion date.

**Liquidated damages will be assessed against the Contractor for each day over the maximum number of calendar days allotted plus each day beyond the stated ultimate completion date until the work is satisfactorily completed and accepted by the City. The schedule of liquidated damages is listed in the *Standard Construction Specifications*, Section 108.06.00.**

#### **I-7. WORKING IN WET WEATHER**

The majority of work takes place on private property. In order to minimize impacts to private landscaping, the Contractor shall be required to operate all equipment and store spoil and backfill materials on canvas tarps, plywood, or other protective material if work takes place during wet weather.

#### **I-8. PRECONSTRUCTION CONFERENCE**

A preconstruction meeting will be required. The meeting will be scheduled to take place a minimum of one week prior to beginning of construction. The Contractor shall submit the following submittals at the preconstruction conference:

- Project Schedule
- Traffic Control Plan
- Erosion and Sediment Control Plan

#### **I-9. PROJECT SCHEDULE**

A detailed construction schedule of all work relating to this project shall be submitted to the Engineer at the preconstruction conference. The schedule shall show how the contractor plans to complete the project on or before the ultimate completion date. The Contractor shall take appropriate measures to expedite work items that are behind schedule, including the use of outside forces to complete the work, without additional compensation.

#### **I-10. TEMPORARY TRAFFIC CONTROL**

All temporary traffic control shall be in accordance with the current edition of the *Manual on Uniform Traffic Control Devices* (MUTCD); the ODOT *Short-Term Traffic Control Handbook*; City of Albany *Standard Construction Specifications*, Section 202; and as stated herein. The Contractor shall provide traffic control devices as may be required at locations where construction is of short-term duration (i.e., street intersections and access to private property), as well as traffic control devices that are expected to be in place for the duration of the project.

Construction operations shall be conducted in a manner that will provide for uninterrupted movement of traffic on all public and private roadways within the construction area. At a minimum, the Contractor shall maintain one lane of traffic in each direction or provide flaggers to control alternating traffic through a single lane. Temporary ramps shall be installed and maintained at intersections and driveways for the duration of the project. At no time shall the flow of traffic be stopped completely without the approval of the Engineer. Approval for short-term, temporary closures or detours, if given, will be limited to a specific instance and will not be approved as standard practice.

The Contractor shall limit all construction traffic, including material delivery and spoil removal, to those streets where there are construction activities taking place. The City will immediately suspend work in the event that the Contractor does not limit construction traffic to approved streets. Work will be allowed to resume only after the Contractor has submitted a construction traffic routing plan limiting construction traffic to approved streets. This plan will be reviewed and approved by the City prior to its implementation. Damage to streets resulting from unapproved construction traffic shall be corrected by the Contractor at no expense to the City.

The Contractor shall submit traffic control plans to the Engineer for review one week prior to commencing construction. The traffic control plan shall include a description of the traffic control devices, signing, and flaggers that are to be provided. No work shall begin until the City approves the traffic control plans. Following approval, the plan shall be adhered to at all times.

On streets where parking is normally allowed, the Contractor shall furnish and place at least three “No Parking” signs on each side of each block of the street where parking is to be prohibited. The signs shall be highly visible to motorists from all approaches to the area where parking is to be restricted. The signs shall be posted at least two full working days in advance of any construction activity and shall state the date and times when parking will be prohibited.

Construction operations shall not commence until all construction signing is in place. Construction signing required for the project shall be furnished and maintained by the Contractor.

All public and private roadways and driveways within the project area shall be fully opened to local traffic at the end of each workday and at all times when no work is taking place. When the progress of the work requires temporary closures of residential driveways, the Contractor shall provide notice to the affected residential properties 48 hours in advance of the closure. Access to residential driveways shall be reestablished as soon as possible. The Contractor shall maintain continuous access to commercial and industrial properties except during paving operations. The Contractor shall meet on-site with the manager of each business a minimum of 72 hours in advance of any work affecting access to their property and inform them of the measures taken to maintain access. The Contractor shall place and maintain “DRIVEWAY OPEN” signs at commercial driveways to guide customers and deliveries to the appropriate entrances during the work. The signs shall be repositioned on a continuous basis as the progress of the work requires.

After working hours, construction equipment shall be parked outside traveled portions of the roadways and shall be isolated with construction fencing and lighted barricades.

In the event the Contractor fails to provide and maintain proper barricades, signs, and other traffic control devices within one hour after notification by the Engineer, the City may install the traffic control devices at the Contractor’s expense. The City will deduct two times (200%) the City’s actual cost, which will include all labor, equipment, and materials involved, from any payments due or coming due to the Contractor.

## **I-11. NOTIFICATIONS**

The Contractor shall provide written notice to the front office of the following agencies, three (3) working days in advance of beginning construction. The written notice shall include the construction schedule and shall explain the extent and duration of expected traffic disruptions. Agency contact information may be found in Appendix E.

1. U.S. Postal Service
2. Albany Transit System
3. Republic Services
4. Albany Fire Department
5. Albany School District
6. Albany Police Department
7. Linn County Sheriff’s Department

The Contractor shall notify the above-named agencies and the public of any schedule changes that are made by the Contractor, required by the City, or are the result of weather or other unforeseen circumstance. The Contractor shall submit a copy of each notification to the City for review and approval prior to delivering the notices.

The Contractor shall provide written notification to all affected residents and businesses three (3) working days in advance of scheduled work that will result in traffic disruptions and blocked access to driveways or parking areas. Written notifications shall explain the extent and duration of the disruption of traffic and/or blocked access and shall include alternate routes or parking areas as appropriate.

#### **I-12. ENTERING AND WORKING WITHIN CONFINED SPACES**

Contractors working on any public improvement project, while under contract with the City or a private entity, shall comply with the following regulations as they pertain to entering and working within confined spaces (as defined by OR-OSHA):

1. Identify any confined space entry that is required to perform the work and submit a list of the locations to the City.
2. Follow the City's confined space entry procedures or submit an alternate procedure that meets or exceeds OR-OSHA confined space entry regulations.
3. Submit written notice to the City of any hazardous situation that is encountered during the entry of or while working within a confined space.

#### **I-13. WORK ON PRIVATE PROPERTY**

Permits will be required for all plumbing, electrical, and site work on private property. Permits may be obtained from the Building Department at City Hall, 333 Broadalbin Street SW, Albany, Oregon, or are also available via the City's website at [www.cityofalbany.net](http://www.cityofalbany.net). Payment for obtaining permits will be considered incidental to the appropriate bid items.

#### **I-14. STATEMENT OF CURED-IN-PLACE PIPE EXPERIENCE**

A copy of the Statement of Experience form and licensed installer documentation for Cured-In-Place Pipe (see Appendix C) shall be submitted with the bid. Failure to submit and meet the requirements outlined below will be grounds for rejection of the bid.

#### **I-15. LOCATION OF UNDERGROUND UTILITIES**

The Contractor shall determine the horizontal and vertical alignment of existing public and private utilities well enough in advance to make adjustments to the work. Special care shall be taken to avoid compromising concrete thrust restraint on the existing water system. Locating utilities ahead of construction and providing protective measures where required are incidental to other bid items.

#### **I-16. REPAIR OF EXISTING UNDERGROUND UTILITIES**

City-owned, underground infrastructure damaged during construction shall be repaired as directed by the Engineer. All completed repair work will require approval of the Engineer prior to covering the work. General repair guidelines are:

1. Existing sanitary sewer mains and service laterals that are damaged shall be replaced with like materials and solid-sleeve couplings. Where like materials are not available, the existing pipe shall be replaced with ASTM 3034 PVC pipe and solid-sleeve transition couplings.
2. Existing storm drainage pipe that is damaged shall be replaced with like materials and mechanical-type couplings. Where like materials are not available, storm drainage pipe shall be replaced with Class III concrete pipe or ASTM 3034 PVC pipe with appropriate mechanical-type couplings.

#### **I-17. EXCAVATION AND BACKFILL REQUIREMENTS**

All excavations shall be backfilled daily. Only that portion of the excavation where the next day's work is to resume may be left open. All open trenches in streets shall be covered with secured steel sheets at the end of work each day. All other excavations shall be backfilled.

Select backfill shall be used in all excavations within the public right-of-way to the limits shown below, regardless of location, and in all driveways subject to vehicle travel.

Paved Area: Use select compacted backfill to finished subgrade elevation.

Unpaved Area: Use select compacted backfill to within 18 inches of finish grade. Complete backfill with topsoil meeting requirement of Section 01010 – Topsoil of the Oregon Department of Transportation's Standard Specifications for Highway Construction, 1996 Edition.

A fill permit will be required to deposit excavated materials, in excess of 50 cubic yards at any one tax lot, from this project regardless of whether the site is publicly or privately owned. For property located within the city limits, fill permits may be obtained from the Public Works Department at City Hall, Third Avenue and Broadalbin Street, Albany, Oregon. For property located outside the city limits, fill permits may be obtained from the Linn County Building Department at the Linn County Court House, Fourth Avenue and Ellsworth Street, Albany, Oregon.

#### **I-18. MAINTAINING SEWER FLOWS**

The Contractor shall maintain sewer flows in the existing system. The sewage shall be conveyed in closed conduits and disposed of in a sanitary sewer system or transported in equipment designed for that purpose to an approved disposal site. Transporting and disposal of sewage shall be in conformance with applicable state and local regulations. Sewage shall not be discharged into, or allowed to flow in storm drains, trenches, creeks, rivers, ditches, or similar drainage ways. Sewage spills or accumulations shall be cleaned up promptly. The Contractor shall be responsible for immediately notifying the Engineer and Department of Environmental Quality (DEQ) of any sewer spills.

Under no circumstances shall sewage be allowed to overflow from manholes, flood basements, make building sewers inoperable (i.e., with back water valve), or cause any damage to the sewer system due to surcharging.

When pumping and bypassing is required, the Contractor shall furnish, install, and operate the pumps, conduits, and other equipment to divert the flow of sewage around the section in which work is to be performed. A sewer line plug shall be inserted into the line upstream of the section being worked. The plug shall be so designed that all or any portion of the sewage can be released. At the end of each day, flow shall be restored to normal. The bypass system shall be of sufficient capacity to handle existing flow plus additional flow that may occur during a rainstorm. The Contractor shall be responsible for furnishing the necessary labor and supervision to set up and operate the pumping and bypass system. Pumping shall be done in a manner that will not damage public or private property or create a nuisance or health menace. No overnight pumping will be allowed.

Sewer service shall be provided for service laterals when working on the sections that have active services. Service shall not be interrupted for more than six hours for any individual lateral. All service laterals shall be functional between 5:00 p.m. and 8:00 a.m.

#### **I-19. NOTIFICATION OF INTERRUPTION OF SEWER SERVICE**

The Contractor shall give written notice to each affected sewer customer a minimum of 48 hours prior to a scheduled interruption of sewer service. The notice shall contain the name and phone number of the Contractor and a contact person and shall also state the time and date of interruption and estimated length of disruption. The City must approve the notice prior to distribution. The notifications shall be delivered directly to the primary adult resident, business owner/manager, or prominently affixed to the primary entrance of each dwelling or unit. Notification shall not be placed in U. S. mailboxes or mail slots.

#### **I-20. WATER SUPPLY**

The City will provide water required for the completion of the work. The Contractor shall only take water from approved fire hydrants as designated by the Engineer.

#### **I-21. PROTECTION OF EXISTING TREES**

Trees to remain in place shall be protected at all times. If roots three inches in diameter or greater are encountered during construction, including excavation and trenching activities, the root shall be protected and reported to the Engineer. If the root must be removed, the City Forester shall be consulted prior to pruning. Root pruning shall be

accomplished by a sharp cut made with a hand saw or chain saw. Cut or exposed root ends shall be kept moist at all times until backfill is placed to cover the roots. Cut roots three inches or greater must be wrapped in burlap and kept moist for the entire time the roots are exposed. Cut or exposed roots shall be backfilled as soon as possible.

If the Contractor causes the destruction of trees that are to remain, the City will deduct the value of the tree as determined by the City Forester using the methods described in the International Society of Arboriculture's "Valuation of Landscape Trees, Shrubs, and Other Plants: A Guide to the Methods and Procedures for Appraising Amenity Plants."

## SECTION II: STATE AND FEDERAL CONTRACTING LAW

### II-1. PREVAILING WAGES

All the provisions required by ORS 279C.800 through ORS 279C.870 relating to the payment of prevailing wage rates for work performed under the Contract with the City of Albany shall be complied with.

Each worker in each trade or occupation employed in the performance of this contract either by the contractor, subcontractor, or other person doing or contracting to do, or contracting for the whole or any part of the work on this contract, must be paid not less than the applicable state prevailing rate of wage, or the applicable federal prevailing rate of wage, whichever is higher.

Oregon law requires that the higher of the state prevailing wage rates (PWR) or federal Davis-Bacon rates be paid to workers on projects subject to both the state PWR law and federal Davis-Bacon Act.

**SS-19-03, 2019 Sewer Point Repairs does not use federal funds and does not require Davis-Bacon rates. Only Oregon BOLI Prevailing Wage Rates apply to this project.**

Each year the Oregon Bureau of Labor and Industries (BOLI) publishes two rates publications (and amendments to both) that are available by calling 971-673-0839 or online at the BOLI website at:

<https://www.oregon.gov/boli/WHD/PWR/Pages/PWR-Rate-Publications---2019.aspx>

Publications that apply to this contract are the July 1, 2019, Prevailing Wage Rates for Public Works Contracts in Oregon; as well as the July 1, 2019, [PWR Apprenticeship Rates](#).

Daily/weekly/holiday/weekend overtime must be paid. If a contractor fails to pay for any labor or services, the City can pay for this labor or services and withhold these amounts from payments due the contractor. ORS 279C.520; OAR 839-025-0020(2)(b).

Contractors and subcontractors are required to prepare weekly certified payroll reports and statements and submit them to the City by the fifth business day of each month (ORS 279C.845; OAR 839-025-0010). Contractor payment will be withheld until the City is in receipt of these certified weekly payroll reports. Information submitted on certified statements may be used only to ensure compliance with the provisions of ORS 279C.800 through ORS 279C.870.

### II-2. PERFORMANCE, PAYMENT, AND PUBLIC WORKS BONDS

In addition to the required payment bond and performance bond, unless exempt under ORS 279C.836 (7), (8), or (9), the contractor is required to file a \$30,000 Public Works Bond with the Construction Contractor's Board to be used exclusively for unpaid wages determined to be due by BOLI. The general contractor is required to verify that subcontractors, unless exempt, have filed a public works bond before permitting a subcontractor to start work on a project.

The Statutory Public Works Bond form is available from BOLI upon request or may be downloaded from <http://www.oregon.gov/BOLI/WHD/pages/index.aspx>.

### II-3. RECIPROCAL PREFERENCE LAW

Oregon's reciprocal preference law, ORS 279A.120 and ORS 279A.125, requires public contracting agencies, in determining the lowest responsible bidder, to add a percent increase to each out-of-state bidder's bid price that is equal to the percent of preference given to local bidders in the bidder's home state. That is, if the low bidder is from a state that grants a 10 percent preference to its own in-state bidders, the Oregon agency must add 10 percent to that bidder's price when evaluating the bid.

For details, check Oregon's Reciprocal Preference Law website at:

<https://www.oregon.gov/das/Procurement/Pages/Recippref.aspx>



Bidders in need of any assistance in the application of this law should call the State Procurement Office at 503-378-4642, or contact them at State of Oregon - Department of Administrative Services, State Procurement Office, 1225 Ferry Street SE, U-140, Salem, OR 97301-4285.

#### **II-4. AFFIRMATIVE ACTION/NONDISCRIMINATION**

By submitting a bid/proposal, the Bidder/Proposer agrees to comply with the Fair Labor Standards Act (FLSA); Title VII of the Civil Rights Act of 1964; Executive Order 11246, (as amended); Fair Employment Practices; Equal Employment Opportunity Act; Section 503 of the Rehabilitation Act of 1973, as amended; Vietnam Era Veterans' Readjustment Assistance Act of 1974; Americans with Disabilities Act; Age Discrimination in Employment Act of 1967 (ADEA); and Oregon Revised Statutes (ORS). By submitting a bid/proposal, the Bidder/Proposer specifically certifies, under penalty of perjury, that the Bidder/Proposer has not discriminated against minority, women, or emerging small business enterprises in obtaining any required subcontracts.

If the contract is awarded on the basis of the contractor's certification as a Disadvantaged Business Enterprise (DBE), Minority/Women Business Enterprise (MWBE) and Emerging Small Business (ESB) certifications (collectively known as MWESBs), the contractor must remain certified during the entire term of the contract. Contractors must include a similar provision in any subcontracts for the project.

#### **II-5. LICENSE REQUIRED FOR ASBESTOS ABATEMENT PROJECT**

This contract does not require the contractor or subcontractor to be licensed under ORS 468A.720, regarding asbestos abatement.

#### **II-6. CONSTRUCTION AND DEMOLITION DEBRIS / YARD WASTE MATERIALS - ORS 279C.510**

The contractor is responsible for:

1. Salvaging or recycling construction and demolition debris, if feasible and cost-effective.
2. Composting or mulching yard waste material at an approved site, if feasible and cost-effective.

#### **II-7. PROVISIONS CONCERNING ENVIRONMENTAL AND NATURAL RESOURCES LAWS**

Contractor is responsible to abide by ORS 279C.525 regarding enacted ordinances, rules, or regulations as set forth by the Albany Municipal Code, Oregon Department of Environmental Quality, Department of State Lands, Environmental Protection Agency, and/or the US Army Corps of Engineers, or any other federal, state, and local agency, in regards to the prevention of environmental pollution and preservation of natural resources.

#### **II-8. PAYMENT, CONTRIBUTIONS, LIENS, WITHHOLDING - ORS 279C.505**

The contractor shall:

1. Make payment promptly, as due, to all persons supplying to the contractor labor or material for the performance of the work provided for in this contract.
2. Pay all contributions or amounts due the Industrial Accident Fund from the contractor or subcontractor incurred in the performance of the contract.
3. Not permit any lien or claim to be filed or prosecuted against the City on account of any labor or material furnished.
4. Pay to the Department of Revenue all sums withheld from employees under ORS 316.167

#### **II-9. PAYMENT OF CLAIMS BY PUBLIC OFFICERS, PAYMENT TO PERSONS FURNISHING LABOR OR MATERIALS AND COMPLAINTS - ORS 279C.515; OAR 839-025-0020(2)(a)**

1. If the Contractor fails, neglects, or refuses to pay promptly a person's claim for labor or services that the person provides to the Contractor or a subcontractor in connection with this contract as the claim becomes due, the City may pay the amount of the claim to the person that provides the labor or services and charge the amount of the payment against funds due or to become due the Contractor by reason of this contract.
2. If the Contractor or a first-tier subcontractor fails, neglects, or refuses to pay a person that provides labor or materials in connection with this contract within 30 days after receiving payment from the City or Contractor,

the Contractor or first-tier subcontractor owes the person the amount due plus interest charges that begin at the end of the 10-day period within which payment is due under ORS 279C.580 (4) and that end upon final payment, unless payment is subject to a good faith dispute as defined in ORS 279C.580. The rate of interest on the amount due is nine percent per annum. The amount of interest may not be waived.

3. If the Contractor or a subcontractor fails, neglects, or refuses to pay a person that provides labor or materials in connection with the public improvement contract, the person may file a complaint with the Construction Contractors Board, unless payment is subject to a good faith dispute as defined in ORS 279C.580.

## **II-10. CONTRACTOR'S RELATIONS WITH SUBCONTRACTORS - ORS 279C.580(3)(4)**

Contractor is required to include in each subcontract for property or services the contractor enters into with a first-tier subcontractor, including a material supplier, for the purpose of performing a construction contract:

1. A payment clause that obligates the contractor to pay the first-tier subcontractor for satisfactory performance under the subcontract within 10 days out of amounts the City pays to the contractor under this contract.
2. A clause that requires the contractor to provide a first-tier subcontractor with a standard form that the first-tier subcontractor may use as an application for payment or as another method by which the subcontractor may claim a payment due from the contractor.
3. A clause that requires the contractor, except as otherwise provided in this paragraph, to use the same form and regular administrative procedures for processing payments during the entire term of the subcontract. A contractor may change the form or the regular administrative procedures the contractor uses for processing payments if the contractor:
  - a. Notifies the subcontractor in writing at least 45 days before the date on which the contractor makes the change; and
  - b. Includes with the written notice a copy of the new or changed form or a description of the new or changed procedure.
4. An interest penalty clause obligating the Contractor, if the contractor does not pay the first-tier subcontractor within 30 days after receiving payment from the City, to pay the first-tier subcontractor an interest penalty on amounts due in each payment the Contractor does not make in accordance with the payment clause included in the subcontract under paragraph (1.) above. A contractor or first-tier subcontractor is not obligated to pay an interest penalty if the only reason that the contractor or first-tier subcontractor did not make payment when payment was due is that the contractor or first-tier subcontractor did not receive payment from the City or Contractor when payment was due. The interest penalty applies to the period that begins on the day after the required payment date and that ends on the date on which the amount due is paid and is computed at the rate specified in ORS 279C.515(2).
5. A clause shall be included in each of the Contractor's subcontracts requiring the first-tier subcontractor to include a payment clause and an interest penalty clause that conforms to the standards of this sub-section, paragraphs 1-4 above, in each of the first-tier subcontractor's subcontracts and to require each of the first-tier subcontractor's subcontracts to include such clauses in the first-tier subcontractors' subcontracts with each lower-tier subcontractor or supplier.
6. A mandate that all subcontractors, if they were awarded a subcontract on the basis of certification as a disadvantaged, minority-owned, women-owned, or emerging small business enterprise, to maintain certification through the term of the contract.

## **II-11. CONDITION CONCERNING HOURS OF LABOR - ORS 279C.520**

Any worker employed by the Contractor may not be employed for more than 10 hours in any one day, or 40 hours in any one week, except in cases of necessity, emergency or when the public policy absolutely requires it, the employee shall be paid at least time and a half pay as follows:

1. For all overtime in excess of eight hours in any one day or 40 hours in any one week when the work week is five consecutive days, Monday through Friday; or for all overtime in excess of 10 hours in any one day or 40 hours in any one week when the work week is four consecutive days, Monday through Friday; and
2. For all work performed on Saturday and on any legal holiday specified in ORS 279C.540.

Contractor must give notice in writing to employees, who work on a public contract, either at the time of hire or before commencement of work on the contract, or by posting a notice in a location frequented by employees, of the number of hours per day and days per week that the employees may be required to work.

Contractor shall comply with the prohibition set forth in ORS 652.220, that compliance is a material element of the contract and that a failure to comply is a breach that entitles the contracting agency to terminate the contract for cause.

Contractor may not prohibit any of its employees from discussing the employee's rate of wage, salary, benefits, or other compensation with another employee or another person and may not retaliate against an employee who discusses the employee's rate of wage, salary, benefits, or other compensation with another employee or person.

**II-12. TIME LIMITATION ON CLAIM FOR OVERTIME - ORS 279C.545**

Any worker employed by the Contractor shall be foreclosed from the right to collect for any overtime provided in ORS 279C.540 unless a claim for payment is filed with the Contractor within 90 days from the completion of the contract, providing the contractor has:

1. Caused a circular clearly printed in boldfaced 12-point type and containing a copy of ORS 279C.545 to be posted in a prominent place alongside the door of the timekeeper's office or in a similar place that is readily available and freely visible to workers employed on the work; and
2. Maintained the circular continuously posted from the inception to the completion of the contract on which workers are or have been employed.

**II-13. CONDITION CONCERNING PAYMENT OF MEDICAL CARE AND PROVIDING WORKERS' COMPENSATION - ORS 279C.530**

1. Contractor shall promptly, as due, make payment to any person, co-partnership, association or corporation furnishing medical, surgical, and hospital care services or other needed care and attention, incident to sickness or injury, to the employees of the contractor, of all sums that the contractor agrees to pay for the services and all moneys and sums that the contractor collected or deducted from the wages of employees under any law, contract or agreement for the purpose of providing or paying for the services.
2. All subject employers working under this Contract shall comply with ORS 656.017 and provide the required Workers' Compensation coverage, unless such employers are exempt under ORS 656.126. Contractor shall ensure that each of its subcontractors complies with these requirements.

## SECTION III: TECHNICAL SPECIFICATIONS – BID ITEMS

### **Item No. 1 – Mobilization**

See *Standard Construction Specifications*, Section 201.

Payment for this bid item will be on a lump-sum basis and will include all equipment, labor, materials, and incidentals required to complete the work.

### **Item No. 2 – Temporary Traffic Control**

See *Standard Construction Specifications*, Section 202; the Special Provisions; and the Construction Drawings.

Payment for this bid item will be on a lump-sum basis and will include all equipment, labor, materials, and incidentals required to complete the work.

### **Item No. 3 – Erosion Prevention and Sediment Control**

This item includes all work related to procuring, installing, and maintaining erosion prevention and sediment control (EPSC) measures for the duration of the project as shown on the Construction Drawings. The Contractor shall submit an EPSC plan at the preconstruction conference for approval by the Engineer. This plan shall include measures to achieve the followings goals:

- Prevent the erosion of exposed soils by wind or rain
- Prevent sediment-laden waters from running onto streets, or into storm drains, ditches, drainage features, wetlands, creeks, streams, lakes, or rivers.
- Maintain clean street and sidewalk surfaces
- Quickly respond to rainfall events with additional measures as needed

The plan shall emphasize measures designed to prevent erosion rather than control sediment. This will require sediment-laden water from trench dewatering to be processed through mechanical or chemical treatment prior to discharge. Sole reliance on inlet protection to control sediment will be prohibited in most cases. The approved EPSC plan shall be implemented prior to the beginning of ground disturbing activities.

In the event the Contractor fails to provide and maintain EPSC measures that prevent sediment from leaving the construction site, the City may require that work be stopped immediately. The City will not grant contract extensions for work stoppages based on the Contractor's failure to provide and maintain EPSC measures that prevent sediment from leaving the construction site. If sediment-laden water continues to leave the site after one working day following notification by the Engineer, the City may install additional EPSC measures at the Contractor's expense. The City will deduct two times (200%) the City's actual cost, which will include all labor, equipment, and materials involved, from any payments due or coming due to the Contractor.

Payment for this bid item will be on a lump-sum basis and will include all equipment, labor, materials, and incidentals required to complete the work.

### **Item No. 4 – Segment 5558 Point Repair**

See Construction Drawings and Standard Drawing No. 411.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings. Also included in this item is the replacement and reconnection of one private sewer lateral as shown on the Construction Drawings.

All work on private property shall be in accordance with the current local Plumbing Code. Required plumbing permits shall be considered incidental to this bid item. The Contractor will be responsible for locating the sewer lateral outside the home where the proposed connections are to be made prior to construction. Installation of private two-way cleanouts on the new lateral shall be considered incidental to this bid item. Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Installation of locate balls will be considered incidental to this bid item. Locate balls shall be Model 162 as manufactured by Omni Marker™ and green in color. Locate balls shall be installed centered over the connection at the main within four feet of the finished grade.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 5 – Segment 5573 Point Repair**

See Construction Drawings; Appendix A – *Private Sewer Lateral Pipe Bursting Technical Specifications*; and Standard Drawings No. 401 and 411.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings. Also included in this item is the replacement and reconnection of two private sewer laterals as shown on the Construction Drawings and removal and replacement of two standard precast manholes without ladder assemblies. Extension of the upstream sewer main line and relocation of upstream manhole shall only be constructed as directed by the Engineer. Installation of a wooden gate fence panel shall be paid for under a separate bid item.

All work on private property shall be in accordance with the current local Plumbing Code. Required plumbing permits shall be considered incidental to this bid item. The Contractor will be responsible for locating the sewer lateral outside the home where the proposed connections are to be made prior to construction. Installation of private two-way cleanouts on the new lateral shall be considered incidental to this bid item. Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Installation of locate balls will be considered incidental to this bid item. Locate balls shall be Model 162 as manufactured by Omni Marker™ and green in color. Locate balls shall be installed centered over the connection at the main within four feet of the finished grade.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 6 – Segment 5575 Point Repair**

See Construction Drawings.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings. Property restoration will be considered incidental to this bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 7 – Segment 5587 Point Repair**

See Construction Drawings; Appendix A – *Private Sewer Lateral Pipe Bursting Technical Specifications*; and Standard Drawing No. 411.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings. Also included in this item is the replacement and reconnection of one private sewer lateral as shown on the Construction Drawings.

All work on private property shall be in accordance with the current local Plumbing Code. Required plumbing permits shall be considered incidental to this bid item. The Contractor will be responsible for locating the sewer lateral outside the home where the proposed connections are to be made prior to construction. Installation of private two-way cleanouts on the new lateral shall be considered incidental to this bid item. Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Installation of locate balls will be considered incidental to this bid item. Locate balls shall be Model 162 as manufactured by Omni Marker™ and green in color. Locate balls shall be installed centered over the connection at the main within four feet of the finished grade.

Payment for pavement restoration will be made under a separate bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 8 – Segment 5658 Point Repair**

See Construction Drawings; Appendix A – *Private Sewer Lateral Pipe Bursting Technical Specifications*; Appendix B – *Cured-In-Place Pipe Technical Specifications*; and Standard Drawing No. 411.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe using open trench and cured-in-place pipe spot repair methods as shown on the Construction Drawings. Also included in this item is the replacement and reconnection of one private sewer lateral as shown on the Construction Drawings.

All work on private property shall be in accordance with the current local Plumbing Code. Required plumbing permits shall be considered incidental to this bid item. The Contractor will be responsible for locating the sewer lateral outside the home where the proposed connections are to be made prior to construction. Installation of private two-way cleanouts on the new lateral shall be considered incidental to this bid item. Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Installation of locate balls will be considered incidental to this bid item. Locate balls shall be Model 162 as manufactured by Omni Marker™ and green in color. Locate balls shall be installed centered over the connection at the main within four feet of the finished grade.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 9 – Segment 5726 Point Repair**

See Construction Drawings and Appendix B – *Cured-In-Place Pipe Technical Specifications*.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe using open trench and cured-in-place pipe spot repair methods as shown on the Construction Drawings. Also included in this item is rechanneling the upstream manhole.

Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 10 – Segment 5728 Point Repair**

See Construction Drawings.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings.

Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 11 – Segment 5942 Point Repair**

See Construction Drawings.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings.

Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 12 – Segment 6289 Point Repair**

See Construction Drawings; Appendix A – *Private Sewer Lateral Pipe Bursting Technical Specifications*; and Standard Drawing No. 411.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings. Also included in this item is the replacement and reconnection of one private sewer lateral as shown on the Construction Drawings.

All work on private property shall be in accordance with the current local Plumbing Code. Required plumbing permits shall be considered incidental to this bid item. The Contractor will be responsible for locating the sewer lateral outside the home where the proposed connections are to be made prior to construction. Installation of private two-way cleanouts on the new lateral shall be considered incidental to this bid item. Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Installation of locate balls will be considered incidental to this bid item. Locate balls shall be Model 162 as manufactured by Omni Marker™ and green in color. Locate balls shall be installed centered over the connection at the main within four feet of the finished grade.

Payment for pavement restoration will be made under a separate bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 13 – Segment 6386 Point Repair**

See Construction Drawings and Standard Drawing No. 411.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings. Also included in this item is the reconnection of one private sewer lateral as shown on the Construction Drawings. All work on private property shall be in accordance with the current local Plumbing Code. Required plumbing permits shall be considered incidental to this bid item.

Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 14 – Segment 6391 Point Repair**

See Construction Drawings.

This item provides for all labor, equipment, and materials to repair the existing 10-inch sewer pipe as shown on the Construction Drawings.

Work hours shall be restricted to the hours of 9:00 a.m. to 3:00 p.m.

Payment for pavement restoration will be made under a separate bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 15 – Segment 6829 Point Repair**

See Construction Drawings and Standard Drawing No. 411.

This item provides for all labor, equipment, and materials to repair the existing 10-inch sewer pipe as shown on the Construction Drawings. Also included in this item is the reconnection of one private sewer lateral as shown on the Construction Drawings. All work on private property shall be in accordance with the current local Plumbing Code. Required plumbing permits shall be considered incidental to this bid item.

Payment for pavement restoration will be made under a separate bid item.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 16 – Segment 7344 Point Repair**

See Construction Drawings; Appendix A – *Private Sewer Lateral Pipe Bursting Technical Specifications*; and Standard Drawings No. 411 and 416.

This item provides for all labor, equipment, and materials to repair the existing 8-inch sewer pipe as shown on the Construction Drawings. Also included in this item is the replacement and reconnection of three private sewer laterals as shown on the Construction Drawings and removal and replacement of standard sewer mainline cleanout.

All work on private property shall be in accordance with the current local Plumbing Code. Required plumbing permits shall be considered incidental to this bid item. The Contractor will be responsible for locating the sewer lateral outside the home where the proposed connections are to be made prior to construction. Installation of private two-way cleanouts on the new lateral shall be considered incidental to this bid item. Property restoration, including fence repair, plant and shrub replacement, and private concrete removal and replacement will be considered incidental to this bid item. Native backfill will be allowed except in areas with hard surfacing.

Installation of locate balls will be considered incidental to this bid item. Locate balls shall be Model 162 as manufactured by Omni Marker™ and green in color. Locate balls shall be installed centered over the connection at the main within four feet of the finished grade.

Payment for this bid item will be made on a per-each basis and will include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 17 – 4-Inch Asphalt Trench Patch**

See *Standard Construction Specifications*, Section 304.

The base lift shall be 3/4-inch or 1/2-inch asphalt with a thickness of 2 inches. The top lift shall be 1/2-inch asphalt with a thickness of 2 inches.

Saw-cutting of existing pavement is incidental to this bid item.

Replacement of disturbed thermoplastic and painted pavement markings at the direction of the engineer shall be incidental to this item.

Payment for this item will be made on a square-yard basis and shall include all equipment, labor, materials, and incidentals required to complete the work.

**Item No. 18 – Sewer Bypass Pumping**

See Special Provisions and Appendix D – *Sewage Bypass Vicinity Maps*.

This bid item provides for sewage bypass pumping required during construction. Segments may not have an accessible manhole directly downstream; therefore, the sewage may need to be pumped into a truck and transported to an acceptable disposal site. Sewage bypass vicinity maps are provided in Appendix D.

The Contractor shall furnish, install, and operate the pumps, conduits, and other equipment to divert the flow of sewage around the pipe section in which work is to be performed. A sewer line plug shall be inserted into the line upstream of the section being worked. The plug shall be designed so that all or any portion of the sewage can be released. At the end of the day, flow may be restored to normal. The bypass system shall be of sufficient capacity to handle existing flow plus additional flow that may occur during a rainstorm. The Contractor shall be responsible for furnishing the necessary labor and supervision to set up and operate the pumping and bypass system. Pumping shall be done in a manner that will not damage public or private property or create a nuisance or health menace. No overnight pumping will be allowed without prior approval of the Engineer. In the event of a significant rainfall event, the plug shall be removed from the line and all work will be stopped. The sewage shall be conveyed in closed conduits and disposed of in the sanitary sewer system or transported in equipment designed for that purpose to an approved disposal site. Sewage shall not be discharged into, or allowed to flow in storm drains, trenches, creeks, rivers, ditches, or similar drainage ways. Sewage spills or accumulations shall be cleaned up promptly. The Contractor shall be responsible for notifying the Engineer and DEQ immediately of any sewer spills. Under no circumstances shall sewage be allowed to overflow from structures or manholes, flood basements, make building sewers inoperable (i.e. with back water valve), or cause any damage to the sewer system due to surcharging.

Payment for this item will be on a lump-sum basis and will include all equipment, labor, materials, and incidentals required to complete the work.



## LIST OF APPENDICES

- A. PRIVATE SEWER LATERAL PIPE BURSTING TECHNICAL SPECIFICATIONS (included as separate document)
- B. CURED-IN-PLACE PIPE (CIPP) TECHNICAL SPECIFICATIONS (included as separate document)
- C. STATEMENT OF EXPERIENCE REQUIREMENTS FOR CURED-IN-PLACE PIPE (included as separate document)
- D. SEWAGE BYPASS VICINITY MAPS (included as separate document)
- E. AGENCY CONTACT INFORMATION (included as separate document)
- F. VIDEO LINKS (included as separate document)

**CONSTRUCTION DRAWINGS (11" X 17") – *included as separate document***